

Certificate of Analysis

Product name: **BORAX**
Batch number / Weight: **21K08-B04 / KG**
Analysed according to: **Ph.Eur. 01/2008:0111**
Number of analysis / Inspection Code /
Reference Code / No.: **V00583 / Z01S**

Tests	Requirement	Result	Unit	Standard remark
Appearance	white or almost white, crystalline powder, colourless crystals	1646/S/1221		
Appearance	white or almost white, crystalline powder colourless crystals or crystalline masses efflorescent	Conform		
Identification	Conform	Conform		
Identification A	Conform	Conform		
Identification B	Conform	Conform		
Identification C	Conform	Conform		
Rozpuszczalność	rozpuszcza się w wodzie bardzo łatwo rozpuszcza się we wrzącej wodzie łatwo rozpuszcza się w glicerolu	zgodny		
Appearance of solution	acc. to Ph. Eur.	Conform		
pH	9,0 - 9,6	9,39		
Sulfates	<=50	< 50	ppm	
Ammonium	<=10	< 10	ppm	
Calcium	<=100	<100	ppm	
Assay	99,0 - 103,0 %	102,65	%	
Total aerobic microbial count (TA)		<10	CFU/g	
Total yeasts and moulds (TYMC)		<10	CFU/g	
Particle size		Conform	µm	
Particle size		Conform	µm	
Particle size		Conform	µm	

fagron.pl

Fagron Sp. z o.o.
 ul. Armii Krajowej 3
 32-540 Trzebinia, Poland
 e-mail: biuro@fagron.pl

fagron.pl

Fagron sp. z o.o.
 ul. Pasternik 26, 31-354 Kraków, Poland
 tel.: +48 12 3343 512
 e-mail: biuro@fagron.pl

All the manufacturing stages of this batch have been carried out in full compliance with the GMP requirements of the EU and with the national legal requirements.

Analysis performed by the authorized lab CBMiA

Release:

Magdalena Łatak

Quality Control Supervisor/Speciali

08-12-2022

Expiration: 22-12-2023

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.

fagron.pl

Fagron Sp. z o.o.
ul. Armii Krajowej 3
32-540 Trzebinia, Poland
e-mail:biuro@fagron.pl